

QUICK REFERENCE GUIDE

- **WHOLE HOME FILTRATION "HOW TO SELECT"**
WE TOOK THE GUESS WORK OUT AND CREATED AN EASY GUIDE TO SELECT THE RIGHT SYSTEM FOR YOUR CUSTOMER

- **WHOLE HOME FILTRATION SYSTEMS**
ADVANCED MEDIA WILL FILTER FOR BOTH CHLORINE & CHLORAMINE, VOC'S, PFAS AND MORE..... ALONG WITH THE ADVANCED EWS V2 VALVE TO BETTER SERVE THE CONTRACTOR & HOMEOWNER



- **SINK FILTRATION "HOW TO SELECT"**
EASY GUIDE OF DRINKING SYSTEMS FOR ANY SINK ALONG WITH THE #1 SELLING MAX FLOW

- **SINK FILTRATION SYSTEMS**

- **SPECIALTY PRODUCT AND WELL WATER**



ENVIRONMENTAL WATER SYSTEMS®
Quality Water Filtration Crafted in the USA Since 1987.

WWW.EWSWATER.COM

REVISED 1/1/2025



FIND THE RIGHT PRODUCT FOR YOU

Whether your water is hard or soft, treated with chlorine or chloramine,* Environmental Water Systems has the right appliance to protect you, your family, and your home. Just a few simple questions will help you determine which appliance is best for you.

YES

DO YOU HAVE HARD WATER?

NO

Some of us have harder water than others, and EWS generally considers 6 grains (102 ppm or mg/l) of hardness to be on the lower end of hard water. Select **YES** if you have hard water issues such as excessive spotting or mineral build-up in pipes, faucets and water heaters.

EWS Series
Whole Home Filtration
with Hard Water Conditioning
(the no-salt alternative to softening)



CWL Series
Whole Home Filtration Only
For those without Hard Water Issues
(for those without hard water)

POTENTIAL WATER USAGE DETERMINES WHAT SYSTEM SIZE IS RIGHT FOR YOU.

EWS-SPECTRUM-V2 (Standard)

Our most popular EWS System and #1 seller since 1987

13" x 54" tank with 2.5 cubic feet (87 lbs.) of filtration media for up to 2.5 million gallons of filtration or up to 10 years before media replacement. Also includes with our adaptive digital valve that accommodates 3/4" - 1 1/2" water lines up to 37 gpm**.

Select this system if you have the following:

- up to 4 full bathrooms
- and up to 4 people

CWL SPECTRUM-V2 (Standard)

Our most popular CWL System

EWS-1465-V2 (Larger)

Formerly Model #: EWS-CC-1465

14" x 65" tank with 3 cubic feet (105 lbs.) of filtration media for up to 3 million gallons of filtration or up to 10 years before media replacement for larger families and greater water usage. Also includes with our adaptive digital valve that accommodates 3/4" - 1 1/2" water lines up to 37 gpm**.

Select this system if you have the following:

- 4 or more full bathrooms
- and 4 or more people

CWL-1465-V2 (Larger)

Formerly Model #: CWL-CC-1465

EWS-1665-V2-1.5 (Estate)

Replaces Model #: EWS-CC-1865

16" x 65" tank with 4 cubic feet (140 lbs.) of filtration media for up to 4 million gallons of filtration or up to 10 years before media replacement and includes an upgraded 60 gpm 1-1/2" valve standard** for much larger families and/or estate sized residences based on potential water usage.

Select this system if you have one or more of the following:

- 6 or more full bathrooms
- and 6 or more people

CWL-1665-V2-1.5 (Estate)

Replaces Model #: CWL-CC-1865

All whole home systems automatically self-clean to provide consistent and high quality filtration and filter longevity up to 10 years .

****LARGER VALVES OPTIONS ARE AVAILABLE FOR LARGER MAIN LINE SIZES AND/OR A NEED FOR GREATER FLOW RATES**

Spectrum & 1465 Systems: 1-1/2" valves up to 60 gpm for 1-1/2" main water lines.
1665 Estate Systems: 2" valve up to 100 gpm for 2" main water lines.

Model #'s EWS/CWL-Spectrum-V2-1.5 or EWS/CWL-1465-V2-1.5
 Model #'s EWS/CWL-1665-V2-2.0

Smaller condo sized systems (EWS-1035-V2 & CWL-1035-V2) and larger valves and ginormous commercial or multi-tank systems are also available.

Need Help? Call Us or Leave Us a Message for Friendly & Helpful Assistance.

EWS Customer Service at 702.256.8182 (Monday-Friday, 8:00am - 4:30pm, Pacific Time) or email us at customerservice@ewswater.com

* Chloramine is a corrosive combination of chlorine & ammonia and requires a specialized filtration media for effective removal. EWS has designed and engineered all our systems to filter for both chlorine and chloramine (and all the associated by-products and chemical pollutants) so you no longer need to worry about which chemicals your municipal water district uses to disinfect your water.



Are You On Well Water?

If you are on private or community well water, you need information to determine any water issues and their solutions. Well water requires complete and independent testing. Call EWS Customer Service at 702.256.8182 or visit EWSWATER.COM (see the Well Water Tab) for more information.



EWS SERIES

WHOLE HOME WATER FILTRATION & CONDITIONING

Quality Filtered Water throughout the Entire Home and the Alternative to a Salt Softener in One Appliance

Find The Right Product For You

MOST COMMON EWS SYSTEMS

EWS-SPECTRUM-V2	filtration media 2.5 cubic ft / 87 lbs.	conditioning 1 large capacity ICN
#1 Overall Best Seller Since 1987 Most Common System for Most Homes & Families		
EWS-1465-V2	filtration media 3.0 cubic ft / 105 lbs.	conditioning 2 ICN module
Most Common Upgrade for larger families (4+) with 4+ bathrooms and greater water usage		
EWS-1665-V2-1.5	filtration media 4.0 cubic ft / 140 lbs.	conditioning 3 ICN module
Estate Sized for 6+ bathrooms and 6+ people		

CWL SERIES

WHOLE HOME WATER FILTRATION ONLY

Quality Filtered Water throughout the Entire Home where water hardness is not an issue

Find The Right Product For You

MOST COMMON CWL SYSTEMS

CWL-SPECTRUM-V2	filtration media 2.5 cubic ft / 87 lbs.	conditioning n/a
#1 Best Seller (filtration only) For Those Without Hard Water Issues		
CWL-1465-V2	filtration media 3.0 cubic ft / 105 lbs.	conditioning n/a
Most Common Upgrade for larger families (4+) with 4+ bathrooms and greater water usage		
CWL-1665-V2-1.5	filtration media 4.0 cubic ft / 140 lbs.	conditioning n/a
Estate Sized for 6+ bathrooms and 6+ people		

SPECIALTY SYSTEM SELECTIONS/OPTIONS

The "Condo" Unit:
Smaller size & usage for condos, townhomes and small spaces

EWS-1035-V2	filtration media 1.0 cubic ft / 34 lbs.	conditioning 1 standard ICN
--------------------	--	--------------------------------

1-1/2" VALVE OPTIONS

For 1-1/2" main water lines on homes that need up to 60gpm vs. the standard valve which will provide up to 37gpm

EWS-SPECTRUM-V2-1.5

EWS-1465-V2-1.5

2" VALVE OPTION

For 2" main water lines and flow rates up to 100gpm

EWS-1665-V2-2.0

Larger valve options require a plumber installed bypass.
Larger systems or multiple tank configurations are available.

SPECIALTY SYSTEM SELECTIONS/OPTIONS

The "Condo" Unit:
Smaller size & usage for condos, townhomes and small spaces

CWL-1035-V2	filtration media 1.0 cubic ft / 34 lbs.	conditioning n/a
--------------------	--	---------------------

1-1/2" VALVE OPTIONS

For 1-1/2" main water lines on homes that need up to 60gpm vs. the standard valve which will provide up to 37gpm

CWL-SPECTRUM-V2-1.5

CWL-1465-V2-1.5

2" VALVE OPTION

For 2" main water lines and flow rates up to 100gpm

CWL-1665-V2-2.0

Larger valve options require a plumber installed bypass.
Larger systems or multiple tank configurations are available.

FILTER LIFE:	All systems have filter life of up to 10 years based on proper specification, local water conditions &/or usage.	
FLOW RATES:	Standard: All Spectrum and 1465 up to 37gpm, 1665 up to 60gpm, condo unit 1035 up to 15gpm, Options: 1-1/2" valve option for Spectrum & 1465 Systems up to 60gpm, 2" valve option for 1665 System up to 100gpm	
INCLUDED:	All systems come complete with tank, tank wrap, filtration media, ICN riser manifold (EWS Series conditioning only), digital valve with integrated bypass, two adaptors (1" & 1-1/4") and complete instruction manual. All 1-1/2" & 2" valves do not come with integrated bypass and adaptors and require a plumbed bypass by installer.	
OPTIONAL:	Stainless steel tank cover for Spectrum and Spectrum-1.5 systems has been discontinued as of 1/1/2025.	
ASSEMBLY:	The following EWS/CWL systems are shipped and delivered fully assembled: all 1035, Spectrum, Spectrum-1.5. The following EWS/CWL systems need to be assembled on site due to weight: all 1465, 1665 and larger	

Find The Right Sink Filter For You

Whether your water is treated with chlorine or chloramine, whether you prefer reverse osmosis (RO) or not, Environmental Water Systems has the right drinking water system to protect you and your family. If you need help, please call EWS Customer Service at 702.256.8182 Monday-Friday 8.00 am - 4.30 pm Pacific Time, email us @-customerservice@ewswater.com or visit us at www.ewswater.com.



DRINKING WATER OPTIONS

Taste does not equal health or quality. If it did, then McDonalds fries and Oreos would be health foods. (LOL) Built in the USA to offer protection from toxic contaminants like chlorine, chloramine, VOCs, THMs, PFAS, pesticides, pharmaceutical residues, and more.

The result is water that not only tastes good, but is good for you and your family. These systems filter the water at the point of use (usually a kitchen sink) and provide filtered water for cooking, drinking, coffee, tea, ice, etc. EWS has systems to suit all preferences, concerns, water conditions and budget.

Due to its advanced filtration and crisp mineral water taste, about 80% of families choose the Drinking Water Options over reverse osmosis.

ESSENTIAL MAX FLOW Best Selling Model #: SS-2.5

The most versatile and best choice if you cannot or do not want to have a separate dispenser or hole in your sink or counter. Install in 5 minutes and filter chlorine, chloramine, 1,000's of other contaminants, lead and cysts.

ESSENTIAL DRINKING WATER SYSTEM

The DWS removes chlorine, chloramine, and thousands of other contaminants and offers the additional safeguard of reducing lead and removing 99.99% of cysts (cryptosporidium and giardia). **Model #: DWS.**

ESSENTIAL DRINKING WATER SYSTEM WITH UV

Our most popular upgrade provides the same great benefits of the DWS, with an upgrade to our patented 99.99% effective UV safeguard. Kills bacteria, viruses, E.coli and other microorganisms. Ideal for people with compromised immune systems. **Model #: DWS-UV.**

REVERSE OSMOSIS OPTIONS

Reverse osmosis (RO) is ideal for those who are allergic to the fluoride in city tap water or on water that does not meet EPA limits for heavy metals. RO is generally used in conjunction with salt softeners (takes the salt out the softener puts in) or where there is a preference for a more stripped down or "flatter" or distilled taste to their water.

In about 80% of homes, the ESSENTIAL Drinking Water Systems (see left) is the proper choice, due to its highly advanced filtration, conservation of minerals for a crisp mineral water taste, and no need for a water storage tank or wasted water to the drain.

ESSENTIAL THREE-STAGE REVERSE OSMOSIS

Our ESSENTIAL RO3 uses a high-performance, 50 gallon per day membrane which removes inorganics, heavy metals, fluoride, naturally found minerals, lead, and cysts (cryptosporidium and giardia). **Model #: RO3.**

ESSENTIAL THREE-STAGE REVERSE OSMOSIS W/UV

Our ESSENTIAL RO3-UV is the same system found above which also includes our patented UV upgrade that kills 99.99% of bacteria, viruses, E.coli and other microorganisms. Ideal for people with compromised immune systems. **Model #: RO3-UV.**

Four-stage (RO4) and five-stage (RU500T35) reverse osmosis options (not shown) are available for particulate water and difficult well water applications.

STOP

Are You On Well Water?

If you are on private or community well water, you need information to determine any water issues and their solutions. Well water requires complete and independent testing before any water filtration or treatment systems can be properly specified. Call EWS at 702.256.8182 or visit **EWSWATER.COM** for more information.

FILTER ALL THE WATER IN YOUR HOME WITH ONE SYSTEM. Consider EWS Whole Home Water Filtration and every sink, shower, and bath in your home could provide you with chlorine-free & pollutant-free water. No hassle, no maintenance, no salts or chemicals, and trusted by hospitals, health care centers, military, and private homes worldwide. For more information visit us online at www.ewswater.com or call EWS customer service at 702.256.8182 (Mon.-Fri. 8.00 am - 4.30 pm Pacific Time).



DRINKING WATER SYSTEMS

Quality Filtered Water at the Sink or any Point of Use

Find The Right Sink Filter For You

SS-2.5 Max Flow

#1 Best Selling Drinking Water System

Connects directly to the kitchen (or even a bathroom) faucet in minutes and provides 10,000 gallons of filtered water on the cold side for drinking, cooking, pets, coffee, tea, and even rinse your organic fruits and veggies so they do not absorb chlorine and other toxins that are in our water.

Line Size: 3/8" Flow Rate: Up to 2.5 gpm
 Space needed: 4" deep x 4" wide x 16" tall
 Filter: One (replace up to once a year)



DWS

Our Best Selling Drinking Water System Using A Separate Dispenser

More precise filtration using 3 distinct stages at only 1 gpm compared to our Max Flow and with a dedicated dispenser which some prefer. Both the DWS and Max Flow meet the same compliances so the choice is between cost, size, flow rate, ease of install, whether there is a hole in the sink or counter and how you use your filtered water.

Line Size: 1/4" Flow Rate: Up to 1.0 gpm
 Space needed: 5" deep x 13" wide x 16" tall
 Filters: Three (replace up to once a year)



DWS-UV

Our Most Popular Upgrade Using Our Unique UV Disinfection

Line Size: 1/4" Flow Rate: Up to 1.0 gpm
 Space needed: 5" deep x 13" wide x 16" tall
 Filters: Three (replace up to once a year)
 UV Module: Complete Module w/ Lamp (replace up to once a year)

SS-1.0

In-Line Carbon Block Filter

Great inline filter for multiple puposes. Dispenser optional

Line Size: 1/4" Flow Rate: Up to 1.0 gpm
 Space needed: 3" deep x 3" wide x 13" tall
 Filter: One (replace up to once a year)



REVERSE OSMOSIS SYSTEMS

Quality but Stripped Down Water at the Sink or any Point of Use

Find The Right Sink Filter For You

RO3

The Common Reverse Osmosis System For Municipal (treated) Water

The Pros & Cons of RO are many. If this is the system of choice based on the customers' preference than this USA made system is superior to any low cost big box, online or offshore product.

Line Size: 1/4" Flow Rate: Up to 0.9 gpm
 Space needed: 5" deep x 13" wide x 16" tall
 & Storage Tank: 12" deep x 12" wide x 17" tall
 Filters: Two (replace up to once a year)
 Membrane: One (replace up to once a year)



RO3-UV

Upgrade The RO3 Using Our Unique UV Disinfection

Line Size: 1/4" Flow Rate: Up to 0.9 gpm
 Space needed: 5" deep x 13" wide x 16" tall
 & Storage Tank: 12" deep x 12" wide x 17" tall
 Filters: Two (replace up to once a year)
 Membrane: One (replace up to once a year)
 UV Module: Complete Module w/ Lamp (replace up to once a year)

RO4

4-Stage For Very Particulate Municipal or Well Water

We have added a 5 micron pre-sediment filter to ensure better filtration where the water is more particulate or on common well water that has been tested.

Line Size: 1/4" Flow Rate: Up to 0.9 gpm
 Space needed: 5" deep x 13" wide x 16" tall
 & Storage Tank: 12" deep x 12" wide x 17" tall
 Filters: Three (replace up to once a year)
 Membrane: One (replace up to once a year)



RO4-UV

Upgrade The RO4 Using Our Unique UV Disinfection

Line Size: 1/4" Flow Rate: Up to 0.9 gpm
 Space needed: 5" deep x 13" wide x 16" tall
 & Storage Tank: 12" deep x 12" wide x 17" tall
 Filters: Three (replace up to once a year)
 Membrane: One (replace up to once a year)
 UV Module: Complete Module w/ Lamp (replace up to once a year)

- FILTER LIFE:** All filters, membranes (RO systems) and UV modules (UV only) should be replaced up to once a year based on proper specification, local water conditions &/or usage. Not to exceed 1 year for proper filtration capabilities.
- INCLUDED:** All systems come complete with bracket, head, filter(s), chrome dispenser (except SS-2.5 & SS-1.0), tubing, connections and complete instruction manual. Note: RO Systems additionally include: storage tank, drain connections, air gap adaptor and membrane. UV option additionally include: UV module with lamp and transformer.
- OPTIONAL:** Limited dispenser finish options: DWS: brushed nickel RO: brushed nickel (RO compatible)
 Any dispenser can be purchased separately for the SS-1.0 In-Line.
- ASSEMBLY:** All systems come complete and ready to be assembled and installed. Can be cross-connected to other devices.

SPECIALTY SYSTEMS

INHIBIT SCALE TO WATER HEATER OR TO WHOLE HOME

Systems which treat a specific issue and can be installed in conjunction with filtration

HEATER GUARD

1,000's sold as a value add-on for any tankless water heater

■ INHIBIT SCALE BUILD-UP

■ OPTIMIZE HEATER PERFORMANCE

■ IDEAL FOR ALL WATER HEATERS

■ STOP COSTLY REPAIRS

The best economical and direct approach to preventing sediment and scale issues associated with certain water conditions for all water heaters.

Model #	Install on Line	Flow Rate	
EWS-HEATER-GUARD-3/4	3/4" - 1"	9.5 gpm	Common unit installed on the inlet supply side to most water heaters
EWS-HEATER-GUARD-1.5	1 1/4" - 1 1/2"	20 gpm	1-1/2" inlet/outlet for much larger commercial heaters



Pictured:
EWS-HEATER-GUARD-3/4
most common ordered

Please Note: Replace all filters up to once a year or as needed or as flow rate diminishes (not to exceed 1 year) based on usage and local water conditions.

3 Best Ways To Protect Your Water Heater

- 1. EWS Series.** Inhibits scale formation and filters all the water to the entire home. The benefits to the home, heater, appliances, fixtures and finishes is nothing compared to the health benefits of bathing, steam, showering and using filtered water for all purposes for the family. No longer is the home subject to the side-effects and corrosiveness of chlorine, chloramine, VOCs, THMs, and much more and no longer does the family have to drink, inhale and absorb those same chemicals.
- 2. Heater Guard.** Protects water heaters at the inlet. For additional protection and benefits, combine with an EWS system, it is the perfect application for healthy, hassle-free water to the whole home with water heater protection.
- 3. Softener.** Will inhibit scale formation, however, the water becomes aggressive and may have long-term corrosive effects on your water heater. If the homeowner prefers that slippery feeling or insists on a softener usage for water spotting than this is the system for them. Combine with an EWS system at the main line for whole home filtration and the softener after or on the inlet to the heater for hot water only for the best of both worlds for that customer.

SOFTENER SERIES

Ion-Exchange Use of Sodium or Potassium Chloride to Salt Soften Water
Exchange naturally found calcium & magnesium minerals (hardness) for salts. Not a Filtration System

Model #	Installed Main Line Size	Flow Rate	Resin Size	Filtration	Salt Capacity
RT1035-V2	3/4" - 1"	up to 12 gpm	1.0 cu ft /30 lbs	N/A	200 lbs

Cabinet Style "all-in-one" Usually installed on the inlet supply to the water heater only for softening the hot water only

TT1054-V2	adaptable for 3/4" - 1-1/2"	up to 28 gpm	1.5 cu ft /45 lbs	N/A	300 lbs
-----------	-----------------------------	--------------	-------------------	-----	---------

Standard unit for most homes and typical municipal water hardness issues. Can be installed for hot water only or whole home (bypass drinking water and ice-making). If coordinated with an EWS Whole Home Water Filtration System, softener should be installed after EWS

TT1354-V2	adaptable for 3/4" - 1 1/2"	up to 28 gpm	2.5 cu ft /75 lbs	N/A	300 lbs
-----------	-----------------------------	--------------	-------------------	-----	---------

Greater water hardness, greater water usage, large home or main line service or light commercial application



Pictured:
TT1054-V2
most common ordered

Coordinates with the same valve being used with all Whole Home Filtration Systems except programmed for softener use.
Larger systems or multiple tank configurations are available

SPECIALTY SYSTEMS

BUDGET WHOLE HOME FILTER UNIT, PRE-SEDIMENT AND WELL WATER APPLICATIONS

POINT OF ENTRY (POE) CARTRIDGE FILTRATION UNIT

Limited Budget Usage &/or Space, Limited Flow Rate and Replacement Filter Cartridges

Model #	Installed Main Line Size	Flow Rate
BB-FUGAC200A-1	3/4" - 1"	10 gpm



Entry level filtration to the whole home will cost more over time after filter cartridge replacement but is a good starter for those on a budget. Filtration does not self clean like EWS systems and therefore results are diminished over time before filter change-out. A good specification if space or other obstacles prohibits an EWS system

Please Note: Replace all filters up to once a year or as needed or as flow rate diminishes (not to exceed 1 year) based on usage and local water conditions.



Pictured:
BB 1" SETUP
most common ordered

5-MICRON PRE-SEDIMENT CARTRIDGE UNIT

Pre-sediment treatment only (this is not a cheap whole home filter that others offer)

Model #	Installed Main Line Size	Flow Rate
---------	--------------------------	-----------

BB 1" SETUP	3/4" - 1"	10 gpm
-------------	-----------	--------

BB 1 1/2" SETUP	1 1/4" - 1 1/2"	20 gpm
-----------------	-----------------	--------

Pre- or Post- installation to other systems for capturing of material 5 microns (human hair is 20-100 microns) in order to prevent damage to other systems or in the home or application due to debris or material in the water.

Please Note: Replace all filters up to once a year or as needed or as flow rate diminishes (not to exceed 1 year) based on usage and local water conditions.

3-MICRON SELF-CLEANING PRE-SEDIMENT MEDIA SYSTEM

Pre-sediment treatment only, backwashing self-cleaning valving, long lasting media and greater flow rates

Model #	Installed Main Line Size	Flow Rate
PRESED-1354-V2	adaptable for 3/4" - 1 1/2"	up to 35 gpm

Replace filter media as needed and can be up to every 10 years based on water conditions and usage. Larger systems or multiple tank configurations are available

Pre- or Post- installation to other systems for capturing of material 3 microns (human hair is 20-100 microns) in order to prevent damage to other systems or in the home or application due to debris or material in the water. Coordinates with the same valve being used with all Whole Home Filtration Systems, Iron Systems and Softener Systems (programmed for softener use)



IRON SYSTEM FOR THE REMOVAL OF IRON, MANGANESE & THE ROTTEN EGG SMELL OF HYDROGEN SULFIDE

Backwashing self-cleaning valving, long lasting media and greater flow rates

Model #	Installed Main Line Size	Flow Rate
---------	--------------------------	-----------

EWS-IRON-1054-V2	3/4" - 1 1/4"	up to 35 gpm	
Standard system for most wells with these specific issues			Pictured:

EWS-IRON-1354-V2	3/4" - 1 1/2"	up to 35 gpm	
Higher capacity system for higher levels or greater water usage			EWS-IRON-1054-V2 most common ordered

Replace filter media as needed and can be up to every 10 years based on water conditions and usage. Larger systems or multiple tank configurations are available



Systems available for pH Balancing and extreme RO with pump

Custom-Made Systems available for commercial applications such as breweries, agriculture, hotels, offices, hospitals and restaurants

The EWS, Inc./Environmental Water System Product available through:

Authorized Kitchen & Bath Showrooms, Appliance Showrooms, Building & Plumbing Wholesale Supply Locations and their building, plumbing, HVAC and service contractors, and Authorized Online Distributors. All Distribution adheres to an EWS, Inc. MAP Policy for published pricing. EWS, Inc. does not sell directly to the retail consumer or directly to building, plumbing, HVAC and service contractors.

ALL FILTRATION PRODUCT PROUDLY MADE & ASSEMBLED IN THE USA



Complete Booklets, Sales Sheets, Specifications, Service Guides on All Product are Available (PDF) by e-mail attachment by simply contacting EWS Customer Service

For distribution only:

Place all purchase orders (PO's) via fax or email ewsorders@ewswater.com



ENVIRONMENTAL WATER SYSTEMS®
Quality Water Filtration Crafted in the USA Since 1987.

WWW.EWSWATER.COM

Customer Service Monday–Friday 8:00am–4:30pm PST
Office: 702-256-8182 Fax: 702-256-3744
customerservice@ewswater.com

EWS, Inc. Corporate Offices
5542 S. Ft. Apache Rd, Suite 110
Las Vegas, NV 89148